SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier: <u>Crystal Nails 2 in 1</u>

1.2. Relevant identified uses of the mixture and uses advised against:

Base and top lacquer for natural nails for cosmetic use.

1.3. Details of the supplier of the safety data sheet:

Elite Cosmetix LTD.

1085 Budapest Jozsef krt. 44.

Phone: +36-1-461 0144 fax: +36-1-461 0145

lab2@elitecosmetix.com

1.4. Emergency telephone number:

Country	Name	Phone No.	Availability
Hungary	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)	+36 80201199	call around the clock
Austria	Vergiftungsinformationszentrale	+43 14064343	call around the clock
Belgium	Antigifzentrum	+32 070245245	call around the clock
Czech Republic	Toxikologického informačního střediska	+420 224919293	call around the clock
Denmark	Giftlinjen	+45 82121212	call around the clock
France	Centre Antipoison et de Toxicovigilance	+ 33 0140054848	call around the clock
Germany	Giftnotruf Berlin Institut für Toxikologie	+49 3019240	call around the clock
Ireland	National Poisons Information Centre	+353 018092566	call around the clock
Italy	S.C. Centro Antiveleni di Milano (CAV)	+39 0266101029	call around the clock
Spain	Instituto Nacional de Toxicología y Ciencias Forenses	+34 915620420	call around the clock
The Netherlands	Vergiftigingen	+31 0302748888	call around the clock

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Eye Irrit. 2 H319 Flam. Liq. 2 H225 STOT SE 3 H336

2.2. Labelling elements:





GHS02

GHS07

Hazard statements H319: Causes serious eye irritation.

H225: Highly flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

Signal words: Danger! **Precautionary statements**

Prevention P210: Keep away from heat / sparks / open flames / hot

surfaces. — No smoking.

P241: Use explosion-proof electrical / ventilating / lighting

and all material-handling equipment.

P280: Wear protective gloves / protective clothing / eye

protection / face protection.

P261: Avoid breathing dust / fume / gas / mist / vapours /

spray.

Response P303 + P361 + P353: Remove immediately all contaminated

If on skin clothing. Rinse skin with water.

If inhaled P304 + P340: Remove victim to fresh air and keep at rest in

a position comfortable for breathing.

If in eyes P305 + P351 +P338: Rinse cautiously with water for several

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Storage P403 + P235: Store in a well-ventilated place. Keep cool.

Disposal P501: Dispose of contents / container in accordance with all

local, regional, national and international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product is considered dangerous and contains the following hazardous substances:

Chemical name	CAS No.	EU No.	INCI name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard statements	m%
				Flam. Liq. 2	H225	25-
Ethyl Acetate	141-78-6	205-500-4	Ethyl Acetate	Eye Irrit. 2	H319	50
				STOT SE 3	H336	
Butyl Acetate	123-86-4	204-658-1	Butyl Acetate	Flam. Liq. 3 STOT SE. 3	H226 H336 EUH066	25- 50
				Flam. Liq. 2	H225	
Nitrocellulose	9004-70-	-	Nitrocellulose	Eye Irrit. 2	H319	10- 25
				STOT SE 3	H336	
propane-2-ol	67-63-0	200-661-7	Isopropyl	Flam. Liq. 2 Eye Irrit. 2.	H225 H319	5-10
propane-2-or	07-03-0 200-0	200 001 7	Alcohol	STOT SE 3	H336	3 10
				Flam. Liq. 3	H226	
				Acute Tox. 4	H302	
Butan-1-ol	71-36-3	200-751-6	n Dutyl Alachal	Skin Irrit. 2	H315	0.1-
Butan-1-01	/1-30-3 20	200-751-6	n-Butyl Alcohol	Eye Dam. 1	Н338	1
				STOT SE 3	H335	
				STOT SE 3	Н336	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

4. FIRST AID MEASEURE

4.1. Description of first aid measures

In case of eye contact Immediately flush eyes with plenty of water, occasionally

lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes.

Get medical attention.

Inhalation Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt or waistband.

In case of skin contact Wash skin thoroughly with soap and water or use recognised

skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before

reuse. Clean shoes thoroughly before reuse.

Ingestion Wash out mouth with water. Remove dentures if any.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the

lungs. Get medical attention if adverse health effects persist

Page: 4 / 16

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

or waistband.

Protection of first-aiders No action shall be taken involving any personal risk or

without suitable training. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects associated with exposure

Potential acute health

effects

In case of eye contact Causes serious eye irritation.

Inhalation May cause drowsiness or dizziness.

In case of skin contact Redness, pain. The skin absorbs part of the ingredients of this

product. Can cause dry or chapped skin.

Ingestion Health risk even in small quantities. Product should not

come into contact with foodstuffs.

Over-exposure signs/symptoms

In case of eye contact Adverse symptoms may include the following: irritation,

watering, redness, blurred vision.

Inhalation Adverse symptoms may include the following: nausea or

vomiting, headache, drowsiness / fatigue, dizziness / vertigo.

In case of skin contact Adverse symptoms may include the following: irritation,

dryness, cracking.

Ingestion Health risk even in small quantities.

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatment No specific treatment.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Recommended Special foam for polar liquids. For minor fires: Chemical

powders, carbon dioxide and other extinguishing gases may be

may be suitable for minor fires.

To avoid Water without additives.

5.2. Specific hazards during fire fighting

Hazards from the

substance or mixture

Highly flammable liquid. Fire often produces a dense black smoke and vapours (may be invisible) heavier than air and spread along ground. Exposure to decomposition products

(such as carbon monoxide or dioxide) constitutes a serious health hazard. Do not inhale smoke. Vapours may form

explosive mixtures with air.

Hazardous thermal

decomposition products

Decomposition products may include the following materials:

carbon dioxide, carbon monoxide.

5.3. Advice for firefighters

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Heating will cause a pressure rise - with risk of bursting. Avoid naked flames or other sources of ignition in areas where product is used. Protect electrical equipment (risk of explosive zones). Dry residue stay highly flammable (contain nitrocellulose). Exercise caution when fighting any chemical fire. Prevent fire-fighting effluent from entering drains, watercourses and/or environment.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

6. ACCIDENTAL RELEASE MEASURE

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2. Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3. Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible,

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

6.4. Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2. Conditions for safe storage

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

areas and containers

Requirements for storage Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to environmental contamination.

7.3. Specific end uses

Recommendations Not available.

Industrial sector specific Not available.

solutions

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Occupational exposure limits

OELs (Occupational Exposure Limit values) for Hungary ¹			
Component	TWA	PC	
	(Time Weighted Average)	(Peak Concentration)	
Ethyl Acetate	$1400~\mathrm{mg}~/~\mathrm{m}^3$	$1400~\text{mg}~/~\text{m}^3$	
Propan-2-ol	$500 \text{ mg} / \text{m}^3$	$2000~mg\ /\ m^3$	
Butyl Acetate	950 mg / m ³	$950 \text{ mg} / \text{m}^3$	
n-Butyl Alcohol	$45 \text{ mg}/\text{m}^3$	$90 \text{ mg} / \text{m}^3$	

Recommended procedures

monitoring If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be

¹For other local/national OEL values visit the following website: http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2. Exposure controls

Engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an

Page: 10 / 16

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

Other skin protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Translucent viscous liquid.

Page: 11 / 16

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

Colour Colourless.

Odour Solvent.

Melting point/freezing

point

No data available.

Initial boiling point and >77 °C

boiling range

Flash point <21 °C

Explosive limits Ethyl Acetate 2.1 11.5

Propan-2-ol 2 12

Vapour pressure Not available
Vapour density Not available

Density $0,95-1,05 \text{ g} / \text{cm}^3 \text{ at } 20 \text{ °C}$

Water solubility Not miscible.

Auto-ignition temperature Not available.

Decomposition

Not available.

temperature

9.2. Other information

No further information available.

10. STABILITY AND REACTIVITY

10.1. Reactivity No specific test data related to reactivity available for this

product or its ingredients.

10.2. Chemical stability The product is stable.

10.3. Possibility of Under normal conditions of storage and use, hazardous

hazardous reactions reactions will not occur.

10.4. Conditions to avoid Avoid all possible sources of ignition (spark or flame). Do

not pressurise, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

10.5. Incompatible Alkali metals, strong acids / alkalis, fluorine, hydrides,

materials strong oxidizing agents.

10.6. Hazardous Thermal decomposition may liberate carbon oxides and

Page: 12 / 16

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

decomposition products

nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicity Value		Method	Result
Oral acute toxicity	> 2000 mg / kg	Additivity formula	
Inhalation acute toxicity	> 20 mg / 1	Additivity formula	No acute toxicity
Dermal acute toxicity	> 2000 mg / kg	Additivity formula	
Eyes irritation	[C] > 10 %	Bridging principle	Eye Irrit. Cat. 2

Skin irritation	No irritating	Bridging principle	No skin irrit.
Specific target organ toxicity after single exposure	May cause drowsiness and dizziness	Bridging principle	STOT SE Cat. 3

11.2. Most important symptoms and effects associated with exposure

Potential acute health

effects

In case of eye contact Causes serious eye irritation.

Inhalation May cause drowsiness or dizziness.

In case of skin contact Redness, pain. The skin absorbs part of the ingredients of this

product. Can cause dry or chapped skin.

Health risk even in small quantities. Product should not

come into contact with foodstuffs.

Over-exposure signs/symptoms

In case of eye contact Adverse symptoms may include the following: irritation,

watering, redness, blurred vision.

Inhalation Adverse symptoms may include the following: nausea or

Page: 13 / 16

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

vomiting, headache, drowsiness / fatigue, dizziness / vertigo.

In case of skin contact Adverse symptoms may include the following: irritation,

dryness, cracking.

Ingestion Health risk even in small quantities.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

- Irritation of mucous membranes and respiratory tract, renal, liver and central nervous system.
- Symptoms include allergic skin reaction, headaches, dizziness, fatigue, muscular asthenia and, in extreme cases, unconsciousness.

11.4. Potential chronic health effects: Not available.

General Prolonged or repeated contact can defatting the skin and lead

to irritation, cracking and / or dermatitis.

12. ECOLOGICAL INFORMATION

12.1. Toxicity Not available.

12.2. Persistence and

Not available.

degradability

12.3. Bioaccumulative

Not available.

Not applicable.

potential

12.4 Mobility in soil / Soil Not available.

water partition coefficient

(Koc)

vPvB

Mobility Not available.

12.5. Results of PBT and

vPvB assessment

PBT Not applicable.

Page: 14 / 16

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

12.6 Other adverse effects No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product

Methods of disposal The generation of waste should be avoided or minimised

wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste The classification of the product may meet the criteria for a

hazardous waste.

Packaging

Methods of disposal The generation of waste should be avoided or minimised

wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when

recycling is not feasible.

Special precautions This material and its container must be disposed of in a safe

way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains

and sewers.

14. TRANSPORT INFORMATION

This product is classified as dangerous goods.

Page: 15 / 16

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 28.11.2010. Revision date: 28.02.2018. Version: 3.0

14.1. UN No. 1263

14.2. Proper shipping PAINT RELATED MATERIAL

name

14.3. Transport hazard

class

3, F1



14.4. Packing group II.

14.5. Environmental No.

hazards

14.6. Special precautions Transport within user's premises: always transport in

closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7. Transport in bulk Not available

according to Annex II of Marpol and the IBC Code

15. REGULATORY INFORMATION

15.1. Other regulation 1223/2009/EEC: Regulation on cosmetic products

15.2. Chemical Safety Chemical Safety Assessment was prepared neither for

Assessment ingredients nor the product itself.

16. OTHER INFORMATION

Note of supplier of safety data sheet:

Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included, but only referential.

The product is labelled in accordance with 1223/2009/EEC.

This SDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Elite Cosmetix Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 16 / 16