Material Safety Data Sheet

CRYSTAL NAILS NO LINE

Page 1 of 1

Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

Materila/Product Name: No LineMSDS#:KIM102505-NOLChemical Name:N/AMSDS Prepared by: JRR

Family: Monomer MSDS Initial Approval Date: 10/25/2005

Product Use: Nail Liquid Manufacturer/Distributor: Litrox Factory Investments LLC (443960-91)

US 8130 SW Portland, Oregon, Beaverton-Hillsdale Highway 97225.

Product #: 4020200, 4020201, 4020202

Section 2 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure	Limits	Carcinogen	%
				OSHA	ACGIH		
				TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Ethyl Methacrylate	97-63-2	202-597-5	Ethyl methacrylate	100 ppm	100 ppm	Not Listed	55-65
Urethane Methacrylate	Exempt	N/E	Urethane Methacrylate	N/E	N/E	Not Listed	35-45
4-Ethoxyphenol (MEHQ)	622-62-8	210-748-1	N/DA	N/E	N/E	N/E	0-1
Butylated	128-37-0	204-881-4	N/DA	N/E	N/E	N/E	0-1
Hydroxytoluene (BHT)							
N/E - None Established	N/DA - No Data Av	ailable					

<u>N/R - Not Reviewed</u> **Hazard Symbols:** Xi F **Risk Phrases:** R11, R36/37/38, R43 **Safety Phrases:** S9, S16, S29, S33, S36/37/39, S45

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May cause allergic skin reaction.
- Flammable liquid and vapor!
- May cause eye irritation.
- May cause respiratory tract irritation.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, eyes

Eye Vapor concentrations may cause irritation of eyes. Liquid contact with eyes can cause irritation and

possible corneal damage.

Skin Liquid concentration may cause moderate skin irritation. Repeated or prolonged contact may cause

allergic skin rashes, itching and swelling which becomes evident on re-exposure to this product.

Ingestion Causes irritation, a burning sensation of the mouth, throat and respiratory tract and abdominal pain.

Inhalation High vapor concentrations may irritate the respiratory system. Prolonged exposure can lead to

headaches, nausea, drowsiness and unconsciousness.

Sub-Chronic Effects Unlikely to present a cancer hazard in man. NOTE: Refer to Section 11, Toxicological Information for Details

Section 4 - First Aid Measures

First Aid for Eye
Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.

Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort

persists. Wash clothing before use.

First Aid for Inhalation Remove to fresh air. If having breathing difficulty, give oxygen. If breathing has stopped, give artificial

respiration. Get medical help if discomfort persists.

First Aid for Ingestion Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give anything by

mouth to an unconscious person. Seek prompt medical attention.

Section 5 - Fire Fighting Measures						
Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)				
Set-a-flash: 68F/20°C	LEL: 1.8%; UEL: N/DA	771°F/411°C				

Material Safety Data Sheet CRYSTAL NAILS NO LINE Page 2 of 2

Method:

Foam, Carbon Dioxide, Dry Chemical. Extinguishing Media:

Fire Fighting Wear self- contained breathing apparatus and full protective gear. Water may be ineffective Instructions:

unless used as a fine spray or fog. Use water spray to cool the exposed containers of

methacrylate monomer.

Unusual Hazards: Vapors may travel to source of ignition and flash back. Avoid ignition sources or excessive

temperatures. Heat can induce polymerization with rapid release of energy. Closed containers may

rupture explosively. Spontaneous polymerization may occur on prolonged aging.

Section 6 - Accidental Release Measures

Spill or Release Procedures

Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

Section 7 - Handling and Storage

Handling

Keep away from heat, sparks, flames and other sources of ignition Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use with adequate ventilation. Ground all metal containers when transferring and use explosion-proof equipment. Follow all MSDS/label precautions even after the container is emptied because it may retain product residues. Wash thoroughly after handling. Store in a cool, dry area. Keep container closed when not in use. Store at ambient temperatures out of direct sunlight. Store in a well ventilated place. Store in accordance with National Fire Protection Association recommendations. Maintain air space inside storage containers. Inhibitor requires air (oxygen) contact to function. Check inhibitor levels after 3 months and return to original level.

Storage

Avoid ignition sources or excessive temperatures. Heat can induce polymerization with rapid release of energy.

Explosion Hazard Closed containers may rupture explosively. Spontaneous polymerization may occur on prolonged aging.

Section 8 - Exposure Controls / Personal Protective Equipment

Engineering Controls

Facilities storing or ultilizing this material should be equipped with an eye facility and safety shower. Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.

Personal Protective Equipment

General

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product . Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/ Face Protection

Wear safety glasses. Wear coverall chemical splash goggles and face shield when possibility exists for eye and face contact due to splashing or spraying material.

Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body

Skin Protection

suit. Nitrile rubber is better than PVC.

Respiratory Protection A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exsposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepeice airline respirator in the positive pressure mode with emergency escape provisions. Follow

OSHA repsirator regulations found in 29 CFR 1910.134 or Eurpean Standard EN 149.

Material Safety Data Sheet

CRYSTAL NAILS NO LINE

Page 3 of 3

Section 9 - Physical and Chemical Properties

<u>Appearance</u>	Odor & Odor Threshold	<u>Р</u> Н	Specific Gravity	Viscosity	% Volatile
Clear, colorless liquid	sharp ester-like odor	N/A	(H20=1): 0.918	N/DA, mPas	W/W %: 99+
	-			@ 20°C	

Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
244°F/118°C	N/A	<u>Log Po/w</u> N/DA	mm Hg : 15 <u>@ 20°C</u>	(Air =1): >3.9	(Butyl Acetate = 1): $\frac{N/DA}{}$	N/DA	N/DA @ 20°C

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Set-a-flash: 68F/20°C	LEL : 1.8% ; UEL : N/DA	771°F/411°C

Section 10 - Stability and Reactivity

Stability:

Stable

Hazardous Decomposition Products:

Oxides of carbon when burned.

Conditions to Avoid:

Incompatibility (Materials to Avoid): Reducing and oxidizing agents and UV light.

Hazardous Polymerization:

May occur

Temperatures above 40°C, oxidizing or reducing agents, peroxides and amines, storage in absence of inhibitor, and inadvertent addition of catalyst.

Section 11 - Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
Oral (Rat) LD50:	Dermal (Rabbit) LD50: >	Inhalation (Rat) 4-hour	N/DA	N/DA
13,468 mg/kg	10,000 mg/kg	LC50: 8300 ppm		
contains a very low concentration of active components, the primary toxicological information is from the monomers.				
Further hazardous properties of	annot be excluded. The produc	t should be handled with care w	when dealing with chemicals.	

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	The compound does produce genetic damage in mammalian cell cultures, but has not been tested on animal	s <u>N/DA</u>

Section 12 - Ecological Information Ecotoxicological Information

Acute Toxicity	Acute Toxicity to	Acute Toxicity	Bioconcentration	Toxicity to Sewage Bacteria
To Fish	Invertebrates	to Algae		
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability N/DA Chemical Oxygen Demand N/DA

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 - Disposable Considerations

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Material Safety Data Sheet

CRYSTAL NAILS NO LINE

Page 4 of 4

MSDS#: KIM102505-NOL

Section 14 - Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Flammable liquids, n.o.s., (Ethyl Methacrylate, Urethane Methacrylate), 3, UN1993, PGII
Identification Number:	UN1993
Marine Pollutant:	No
Special Provisions:	T11, TP1
Emergency Response Guidebook (ERG) #:	128
IATA (DGR):	
Proper Shipping Name:	Flammable liquids, n.o.s., (Ethyl Methacrylate, Urethane Methacrylate), 3, UN1993, PGII
Class or Division:	3
UN or ID Number:	UN1993
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	3L
IMO (IMDG):	
Proper Shipping Name:	Flammable liquids, n.o.s., (Ethyl Methacrylate, Urethane Methacrylate), 3, UN1993, PGII
Class or Division:	3.2
UN or ID Number:	UN1993
Special Provisions & Stowage/Segregation:	
Emergency Schedule (EmS)#:	F-E, S-D
Other Information:	Flash point = 20°C

Section 15 - Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This graduat contains the following heggedous air collustrate (IIAD) as defined by the IUS Class Air
Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP) as defined by the U.S. Clean Air
	Act: NONE This product contains ODS
	NONE This product contains ODS.
CI W. A. D	
Clean Water Act: Priority	This product contains the following Priority Pollutants and Hazardous Substances as defined by the
Pollutant/Hazardous Substance	CWA:
ED + E - ID - I - G	• NONE
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as
	an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication
	Standard. Its hazards are:
	• Immediate (acute) health hazard
	• Fire hazard
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR 261):
	• Ethyl methacrylate CAS# 97-63-2, RCRA Code U118
	Characteristic of Ignitablility: RCRA Code: D001
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.
SARA Title III: Section 302 (RQ)	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for
	emergency release notification ("CERCLA" List):
	• Ethyl Methacrylate CAS# 97-63-2, RO(Lbs): 1000
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is
SARA THE III. Section 311-312.	regulated under Section 311-312 (40 CFR 370). Its hazards are:
	• Immediate (acute) health
	Fire hazard
SARA Title III: Section 313:	This product contains the following substances subject to the reporting requirements of Section 313 of
	Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: •
	NONE

Material Safety Data Sheet CRYSTAL NAILS NO LINE Page 5 of 5

TSCA Section 8(b): Inventory: TSCA

Significant New Use Rule:

This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.

None of the chemicals in this material have a SNUR under TSCA.

State Regulations

CA Right-to-Know Law: California	NONE
No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Ethyl methacrylate CAS#97-63-2
NJ Right-to-Know Law:	Ethyl methacrylate CAS#97-63-2
PA Right-to-Know Law:	Ethyl methacrylate CAS#97-63-2
FL Right-to-Know Law:	Ethyl methacrylate CAS#97-63-2
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)

EINECS: European Inventory:






Ethyl methacrylate CAS #97-63-2 is on the DSL List. WHMIS = B2, D2B.

Crystal Nails No Line

- HAZARD SYMBOLS: Xi, F: Irritant, Highly Flammable
- RISK PHRASES: **R11:** highly flammable, **R36/37/38:** Irritating to eyes, respiratory system and skin, **R43:** May cause sensitization by skin contact
- SAFETY PHRASES: **S9:** keep container in a well ventilated place, **S16:** keep away from sources of ignition- no smoking, **S29:** do not empty into drains, **S33:** take precautionary measures against static discharges, **S36/37/39:** wear suitable protective clothing, gloves and eye/face protection, **S45:** In case of accident or if you feel unwell, seek medical advise immediately (show the label where possible)

Section 16 - Other Information

Hazard Rating System (Pictograms)



<u>Product Number – 4020041</u>

Revised Sections since Last Version:

All Sections, new reporting format.

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.